

| AHVN | LxH               | 200x100 | 300x100<br>200x150 | 400x100<br>200x200 | 300x150 | 500x100 | 600x100<br>400x150<br>300x200 | 700x100 |
|------|-------------------|---------|--------------------|--------------------|---------|---------|-------------------------------|---------|
| Q    | A <sub>eff</sub>  | 0.0088  | 0.0144             | 0.0200             | 0.0228  | 0.0256  | 0.0311                        | 0.0367  |
| 25   | V <sub>k</sub>    | 0.78    | 0.50               |                    |         |         |                               |         |
|      | X <sub>0,25</sub> | 0.56    | 0.43               |                    |         |         |                               |         |
|      | P <sub>s</sub>    | 0.26    | 0.11               |                    |         |         |                               |         |
|      | Lw(A)             | <20     | <20                |                    |         |         |                               |         |
| 50   | V <sub>k</sub>    | 1.57    | 1.01               | 0.74               | 0.65    |         |                               |         |
|      | X <sub>0,25</sub> | 1.13    | 0.88               | 0.74               | 0.68    |         |                               |         |
|      | P <sub>s</sub>    | 1.04    | 0.43               | 0.23               | 0.18    |         |                               |         |
|      | Lw(A)             | <20     | <20                | <20                | <20     |         |                               |         |
| 75   | V <sub>k</sub>    | 2.35    | 1.51               | 1.11               | 0.98    | 0.88    | 0.73                          |         |
|      | X <sub>0,25</sub> | 1.70    | 1.31               | 1.10               | 1.03    | 0.97    | 0.90                          |         |
|      | P <sub>s</sub>    | 2.33    | 0.96               | 0.52               | 0.41    | 0.33    | 0.22                          |         |
|      | Lw(A)             | <20     | <20                | <20                | <20     | <20     | <20                           |         |
| 100  | V <sub>k</sub>    | 3.14    | 2.02               | 1.49               | 1.30    | 1.18    | 0.97                          | 0.83    |
|      | X <sub>0,25</sub> | 2.27    | 1.76               | 1.48               | 1.36    | 1.31    | 1.20                          | 1.11    |
|      | P <sub>s</sub>    | 4.16    | 1.72               | 0.93               | 0.71    | 0.59    | 0.40                          | 0.29    |
|      | Lw(A)             | 21      | <20                | <20                | <20     | <20     | <20                           | <20     |
| 125  | V <sub>k</sub>    | 3.92    | 2.52               | 1.86               | 1.63    | 1.47    | 1.22                          | 1.04    |
|      | X <sub>0,25</sub> | 2.83    | 2.19               | 1.85               | 1.71    | 1.63    | 1.51                          | 1.39    |
|      | P <sub>s</sub>    | 6.48    | 2.68               | 1.46               | 1.12    | 0.91    | 0.63                          | 0.46    |
|      | Lw(A)             | 27      | <20                | <20                | <20     | <20     | <20                           | <20     |
| 150  | V <sub>k</sub>    | 4.70    | 3.02               | 2.23               | 1.96    | 1.76    | 1.46                          | 1.25    |
|      | X <sub>0,25</sub> | 3.40    | 2.62               | 2.22               | 2.05    | 1.95    | 1.80                          | 1.66    |
|      | P <sub>s</sub>    | 9.32    | 3.85               | 2.10               | 1.62    | 1.30    | 0.90                          | 0.66    |
|      | Lw(A)             | 32      | 22                 | <20                | <20     | <20     | <20                           | <20     |
| 200  | V <sub>k</sub>    | 6.27    | 4.03               | 2.97               | 2.61    | 2.35    | 1.95                          | 1.66    |
|      | X <sub>0,25</sub> | 4.53    | 3.50               | 2.95               | 2.74    | 2.60    | 2.41                          | 2.21    |
|      | P <sub>s</sub>    | 16.58   | 6.85               | 3.72               | 2.87    | 2.33    | 1.63                          | 1.62    |
|      | Lw(A)             | 39      | 28                 | 21                 | 20      | <20     | <20                           | <20     |
| 250  | V <sub>k</sub>    | 7.84    | 5.04               | 3.71               | 3.26    | 2.94    | 2.43                          | 2.08    |
|      | X <sub>0,25</sub> | 5.67    | 4.38               | 3.69               | 3.42    | 3.25    | 3.00                          | 2.77    |
|      | P <sub>s</sub>    | 25.92   | 10.71              | 5.81               | 4.48    | 3.65    | 2.49                          | 1.82    |
|      | Lw(A)             | 45      | 34                 | 27                 | 24      | 22      | <20                           | <20     |
| 300  | V <sub>k</sub>    | 9.41    | 6.05               | 4.46               | 3.91    | 3.53    | 2.92                          | 2.49    |
|      | X <sub>0,25</sub> | 6.80    | 5.26               | 4.44               | 4.10    | 3.90    | 3.61                          | 3.32    |
|      | P <sub>s</sub>    | 37.35   | 15.44              | 8.39               | 6.45    | 5.26    | 3.60                          | 2.61    |
|      | Lw(A)             | 50      | 39                 | 32                 | 29      | 26      | 23                            | 21      |



| AHVN | LxH               | 200x100 | 300x100<br>200x150 | 400x100<br>200x200 | 300x150 | 500x100 | 600x100<br>400x150<br>300x200 | 700x100 |
|------|-------------------|---------|--------------------|--------------------|---------|---------|-------------------------------|---------|
| Q    | A <sub>eff</sub>  | 0.0088  | 0.0144             | 0.0200             | 0.0228  | 0.0256  | 0.0311                        | 0.0367  |
| 400  | V <sub>k</sub>    |         | 8.07               | 5.94               | 5.21    | 4.70    | 3.89                          | 3.32    |
|      | X <sub>0,25</sub> |         | 7.01               | 5.91               | 5.46    | 5.20    | 4.81                          | 4.42    |
|      | P <sub>s</sub>    |         | 27.47              | 14.88              | 11.45   | 9.32    | 6.38                          | 4.65    |
|      | Lw(A)             |         | 46                 | 39                 | 36      | 34      | 30                            | 27      |
| 600  | V <sub>k</sub>    |         |                    | 8.91               | 7.82    | 7.06    | 5.84                          | 4.98    |
|      | X <sub>0,25</sub> |         |                    | 8.86               | 8.20    | 7.81    | 7.22                          | 6.63    |
|      | P <sub>s</sub>    |         |                    | 33.48              | 25.79   | 21.02   | 14.38                         | 10.46   |
|      | Lw(A)             |         |                    | 50                 | 48      | 45      | 41                            | 37      |
| 800  | V <sub>k</sub>    |         |                    |                    |         | 9.41    | 7.79                          | 6.64    |
|      | X <sub>0,25</sub> |         |                    |                    |         | 10.41   | 9.63                          | 8.84    |
|      | P <sub>s</sub>    |         |                    |                    |         | 37.35   | 25.60                         | 18.59   |
|      | Lw(A)             |         |                    |                    |         | 53      | 49                            | 45      |
| 1000 | V <sub>k</sub>    |         |                    |                    |         |         | 9.73                          | 8.30    |
|      | X <sub>0,25</sub> |         |                    |                    |         |         | 12.03                         | 11.05   |
|      | P <sub>s</sub>    |         |                    |                    |         |         | 39.93                         | 29.05   |
|      | Lw(A)             |         |                    |                    |         |         | 56                            | 51      |
| 1200 | V <sub>k</sub>    |         |                    |                    |         |         |                               |         |
|      | X <sub>0,25</sub> |         |                    |                    |         |         |                               |         |
|      | P <sub>s</sub>    |         |                    |                    |         |         |                               |         |
|      | Lw(A)             |         |                    |                    |         |         |                               |         |
| 1600 | V <sub>k</sub>    |         |                    |                    |         |         |                               |         |
|      | X <sub>0,25</sub> |         |                    |                    |         |         |                               |         |
|      | P <sub>s</sub>    |         |                    |                    |         |         |                               |         |
|      | Lw(A)             |         |                    |                    |         |         |                               |         |
| 2000 | V <sub>k</sub>    |         |                    |                    |         |         |                               |         |
|      | X <sub>0,25</sub> |         |                    |                    |         |         |                               |         |
|      | P <sub>s</sub>    |         |                    |                    |         |         |                               |         |
|      | Lw(A)             |         |                    |                    |         |         |                               |         |
| 2400 | V <sub>k</sub>    |         |                    |                    |         |         |                               |         |
|      | X <sub>0,25</sub> |         |                    |                    |         |         |                               |         |
|      | P <sub>s</sub>    |         |                    |                    |         |         |                               |         |
|      | Lw(A)             |         |                    |                    |         |         |                               |         |
| 2800 | V <sub>k</sub>    |         |                    |                    |         |         |                               |         |
|      | X <sub>0,25</sub> |         |                    |                    |         |         |                               |         |
|      | P <sub>s</sub>    |         |                    |                    |         |         |                               |         |
|      | Lw(A)             |         |                    |                    |         |         |                               |         |



| AHVN | LxH               | 500x150 | 400x200<br>800x100 | 600x150<br>300x300 | 500x200<br>1000x100 | 700x150 | 800x150<br>600x200<br>400x300<br>1200x100 | 700x200 |
|------|-------------------|---------|--------------------|--------------------|---------------------|---------|-------------------------------------------|---------|
| Q    | A <sub>eff</sub>  | 0.0395  | 0.0423             | 0.0479             | 0.0534              | 0.0562  | 0.0646                                    | 0.0757  |
| 25   | V <sub>k</sub>    |         |                    |                    |                     |         |                                           |         |
|      | X <sub>0,25</sub> |         |                    |                    |                     |         |                                           |         |
|      | P <sub>s</sub>    |         |                    |                    |                     |         |                                           |         |
|      | Lw(A)             |         |                    |                    |                     |         |                                           |         |
| 50   | V <sub>k</sub>    |         |                    |                    |                     |         |                                           |         |
|      | X <sub>0,25</sub> |         |                    |                    |                     |         |                                           |         |
|      | P <sub>s</sub>    |         |                    |                    |                     |         |                                           |         |
|      | Lw(A)             |         |                    |                    |                     |         |                                           |         |
| 75   | V <sub>k</sub>    |         |                    |                    |                     |         |                                           |         |
|      | X <sub>0,25</sub> |         |                    |                    |                     |         |                                           |         |
|      | P <sub>s</sub>    |         |                    |                    |                     |         |                                           |         |
|      | Lw(A)             |         |                    |                    |                     |         |                                           |         |
| 100  | V <sub>k</sub>    | 0.76    |                    |                    |                     |         |                                           |         |
|      | X <sub>0,25</sub> | 1.04    |                    |                    |                     |         |                                           |         |
|      | P <sub>s</sub>    | 0.24    |                    |                    |                     |         |                                           |         |
|      | Lw(A)             | <20     |                    |                    |                     |         |                                           |         |
| 125  | V <sub>k</sub>    | 0.95    | 0.83               | 0.79               |                     |         |                                           |         |
|      | X <sub>0,25</sub> | 1.30    | 1.29               | 1.35               |                     |         |                                           |         |
|      | P <sub>s</sub>    | 0.38    | 0.29               | 0.26               |                     |         |                                           |         |
|      | Lw(A)             | <20     | <20                | <20                |                     |         |                                           |         |
| 150  | V <sub>k</sub>    | 1.14    | 0.99               | 0.94               | 0.78                | 0.81    | 0.70                                      |         |
|      | X <sub>0,25</sub> | 1.56    | 1.54               | 1.61               | 1.35                | 1.32    | 1.21                                      |         |
|      | P <sub>s</sub>    | 0.55    | 0.41               | 0.37               | 0.26                | 0.28    | 0.21                                      |         |
|      | Lw(A)             | <20     | <20                | <20                | <20                 | <20     | <20                                       |         |
| 200  | V <sub>k</sub>    | 1.52    | 1.32               | 1.26               | 1.05                | 1.07    | 0.94                                      | 0.74    |
|      | X <sub>0,25</sub> | 2.08    | 2.06               | 2.16               | 1.82                | 1.74    | 1.63                                      | 1.51    |
|      | P <sub>s</sub>    | 0.97    | 0.73               | 0.67               | 0.46                | 0.48    | 0.37                                      | 0.23    |
|      | Lw(A)             | <20     | <20                | <20                | <20                 | <20     | <20                                       | <20     |
| 250  | V <sub>k</sub>    | 1.90    | 1.65               | 1.57               | 1.31                | 1.34    | 1.17                                      | 0.92    |
|      | X <sub>0,25</sub> | 2.59    | 2.57               | 2.69               | 2.27                | 2.18    | 2.03                                      | 1.88    |
|      | P <sub>s</sub>    | 1.52    | 1.15               | 1.04               | 0.72                | 0.76    | 0.58                                      | 0.36    |
|      | Lw(A)             | <20     | <20                | <20                | <20                 | <20     | <20                                       | <20     |
| 300  | V <sub>k</sub>    | 2.28    | 1.98               | 1.89               | 1.57                | 1.61    | 1.40                                      | 1.11    |
|      | X <sub>0,25</sub> | 3.11    | 3.09               | 3.24               | 2.72                | 2.62    | 2.43                                      | 2.27    |
|      | P <sub>s</sub>    | 2.19    | 1.65               | 1.51               | 1.04                | 1.09    | 0.83                                      | 0.52    |
|      | Lw(A)             | <20     | <20                | <20                | <20                 | <20     | <20                                       | <20     |



| AHVN | LxH               | 500x150 | 400x200<br>800x100 | 600x150<br>300x300 | 500x200<br>1000x100 | 700x150 | 800x150<br>600x200<br>400x300<br>1200x100 | 700x200 |
|------|-------------------|---------|--------------------|--------------------|---------------------|---------|-------------------------------------------|---------|
| Q    | A <sub>eff</sub>  | 0.0395  | 0.0423             | 0.0479             | 0.0534              | 0.0562  | 0.0646                                    | 0.0757  |
| 400  | V <sub>k</sub>    | 3.04    | 2.64               | 2.52               | 2.09                | 2.15    | 1.87                                      | 1.48    |
|      | X <sub>0,25</sub> | 4.15    | 4.12               | 4.32               | 3.63                | 3.49    | 3.24                                      | 3.02    |
|      | P <sub>s</sub>    | 3.90    | 2.94               | 2.68               | 1.84                | 1.95    | 1.47                                      | 0.92    |
|      | Lw(A)             | 24      | 22                 | 21                 | <20                 | 21      | <20                                       | <20     |
| 600  | V <sub>k</sub>    | 4.56    | 3.96               | 3.78               | 3.14                | 3.22    | 2.81                                      | 2.21    |
|      | X <sub>0,25</sub> | 6.23    | 6.18               | 6.48               | 5.45                | 5.23    | 4.87                                      | 4.51    |
|      | P <sub>s</sub>    | 8.77    | 6.61               | 6.03               | 4.16                | 4.37    | 3.33                                      | 2.06    |
|      | Lw(A)             | 35      | 32                 | 31                 | 27                  | 30      | 25                                        | 23      |
| 800  | V <sub>k</sub>    | 6.08    | 5.28               | 5.03               | 4.18                | 4.29    | 3.74                                      | 2.95    |
|      | X <sub>0,25</sub> | 8.30    | 8.24               | 8.62               | 7.25                | 6.97    | 6.48                                      | 6.02    |
|      | P <sub>s</sub>    | 15.59   | 11.76              | 10.67              | 7.37                | 7.76    | 5.90                                      | 3.67    |
|      | Lw(A)             | 43      | 40                 | 39                 | 35                  | 37      | 32                                        | 30      |
| 1000 | V <sub>k</sub>    | 7.60    | 6.60               | 6.29               | 5.23                | 5.37    | 4.68                                      | 3.69    |
|      | X <sub>0,25</sub> | 10.38   | 10.30              | 10.78              | 9.08                | 8.72    | 8.11                                      | 7.53    |
|      | P <sub>s</sub>    | 24.36   | 18.37              | 16.69              | 11.54               | 12.16   | 9.24                                      | 5.74    |
|      | Lw(A)             | 49      | 46                 | 45                 | 42                  | 43      | 38                                        | 36      |
| 1200 | V <sub>k</sub>    | 9.13    | 7.92               | 7.55               | 6.27                | 6.44    | 5.62                                      | 4.43    |
|      | X <sub>0,25</sub> | 12.47   | 12.36              | 12.94              | 10.88               | 10.46   | 9.74                                      | 9.04    |
|      | P <sub>s</sub>    | 35.16   | 26.45              | 24.04              | 16.58               | 17.49   | 13.32                                     | 8.28    |
|      | Lw(A)             | 55      | 51                 | 50                 | 46                  | 48      | 43                                        | 41      |
| 1600 | V <sub>k</sub>    |         |                    |                    | 8.36                | 8.59    | 7.49                                      | 5.90    |
|      | X <sub>0,25</sub> |         |                    |                    | 14.51               | 13.96   | 12.99                                     | 12.04   |
|      | P <sub>s</sub>    |         |                    |                    | 29.48               | 31.12   | 23.66                                     | 14.68   |
|      | Lw(A)             |         |                    |                    | 55                  | 57      | 51                                        | 48      |
| 2000 | V <sub>k</sub>    |         |                    |                    |                     |         |                                           | 7.38    |
|      | X <sub>0,25</sub> |         |                    |                    |                     |         |                                           | 15.06   |
|      | P <sub>s</sub>    |         |                    |                    |                     |         |                                           | 22.97   |
|      | Lw(A)             |         |                    |                    |                     |         |                                           | 56      |
| 2400 | V <sub>k</sub>    |         |                    |                    |                     |         |                                           |         |
|      | X <sub>0,25</sub> |         |                    |                    |                     |         |                                           |         |
|      | P <sub>s</sub>    |         |                    |                    |                     |         |                                           |         |
|      | Lw(A)             |         |                    |                    |                     |         |                                           |         |
| 2800 | V <sub>k</sub>    |         |                    |                    |                     |         |                                           |         |
|      | X <sub>0,25</sub> |         |                    |                    |                     |         |                                           |         |
|      | P <sub>s</sub>    |         |                    |                    |                     |         |                                           |         |
|      | Lw(A)             |         |                    |                    |                     |         |                                           |         |



| AHVN | LxH               | 500x300<br>1000x150 | 800x200<br>400x400 | 1200x150<br>600x300 | 1000x200<br>500x400 | 700x300 | 500x500 | 1200x200<br>800x300<br>600x400 |
|------|-------------------|---------------------|--------------------|---------------------|---------------------|---------|---------|--------------------------------|
| Q    | A <sub>eff</sub>  | 0.0813              | 0.0869             | 0.9800              | 0.1092              | 0.1147  | 0.1370  | 0.1410                         |
| 25   | V <sub>k</sub>    |                     |                    |                     |                     |         |         |                                |
|      | X <sub>0,25</sub> |                     |                    |                     |                     |         |         |                                |
|      | P <sub>s</sub>    |                     |                    |                     |                     |         |         |                                |
|      | Lw(A)             |                     |                    |                     |                     |         |         |                                |
| 50   | V <sub>k</sub>    |                     |                    |                     |                     |         |         |                                |
|      | X <sub>0,25</sub> |                     |                    |                     |                     |         |         |                                |
|      | P <sub>s</sub>    |                     |                    |                     |                     |         |         |                                |
|      | Lw(A)             |                     |                    |                     |                     |         |         |                                |
| 75   | V <sub>k</sub>    |                     |                    |                     |                     |         |         |                                |
|      | X <sub>0,25</sub> |                     |                    |                     |                     |         |         |                                |
|      | P <sub>s</sub>    |                     |                    |                     |                     |         |         |                                |
|      | Lw(A)             |                     |                    |                     |                     |         |         |                                |
| 100  | V <sub>k</sub>    |                     |                    |                     |                     |         |         |                                |
|      | X <sub>0,25</sub> |                     |                    |                     |                     |         |         |                                |
|      | P <sub>s</sub>    |                     |                    |                     |                     |         |         |                                |
|      | Lw(A)             |                     |                    |                     |                     |         |         |                                |
| 125  | V <sub>k</sub>    |                     |                    |                     |                     |         |         |                                |
|      | X <sub>0,25</sub> |                     |                    |                     |                     |         |         |                                |
|      | P <sub>s</sub>    |                     |                    |                     |                     |         |         |                                |
|      | Lw(A)             |                     |                    |                     |                     |         |         |                                |
| 150  | V <sub>k</sub>    |                     |                    |                     |                     |         |         |                                |
|      | X <sub>0,25</sub> |                     |                    |                     |                     |         |         |                                |
|      | P <sub>s</sub>    |                     |                    |                     |                     |         |         |                                |
|      | Lw(A)             |                     |                    |                     |                     |         |         |                                |
| 200  | V <sub>k</sub>    |                     |                    |                     |                     |         |         |                                |
|      | X <sub>0,25</sub> |                     |                    |                     |                     |         |         |                                |
|      | P <sub>s</sub>    |                     |                    |                     |                     |         |         |                                |
|      | Lw(A)             |                     |                    |                     |                     |         |         |                                |
| 250  | V <sub>k</sub>    | 0.84                | 0.80               |                     |                     |         |         |                                |
|      | X <sub>0,25</sub> | 1.84                | 1.83               |                     |                     |         |         |                                |
|      | P <sub>s</sub>    | 0.30                | 0.27               |                     |                     |         |         |                                |
|      | Lw(A)             | <20                 | <20                |                     |                     |         |         |                                |
| 300  | V <sub>k</sub>    | 1.01                | 0.97               | 0.83                | 0.77                | 0.71    |         |                                |
|      | X <sub>0,25</sub> | 2.21                | 2.22               | 1.99                | 1.96                | 1.86    |         |                                |
|      | P <sub>s</sub>    | 0.43                | 0.40               | 0.29                | 0.25                | 0.21    |         |                                |
|      | Lw(A)             | <20                 | <20                | <20                 | <20                 | <20     |         |                                |



| AHVN | LxH               | 500x300<br>1000x150 | 800x200<br>400x400 | 1200x150<br>600x300 | 1000x200<br>500x400 | 700x300 | 500x500 | 1200x200<br>800x300<br>600x400 |
|------|-------------------|---------------------|--------------------|---------------------|---------------------|---------|---------|--------------------------------|
| Q    | A <sub>eff</sub>  | 0.0813              | 0.0869             | 0.9800              | 0.1092              | 0.1147  | 0.1370  | 0.1410                         |
| 400  | V <sub>k</sub>    | 1.34                | 1.29               | 1.11                | 1.02                | 0.95    | 0.78    | 0.83                           |
|      | X <sub>0,25</sub> | 2.94                | 2.95               | 2.66                | 2.60                | 2.50    | 2.26    | 2.37                           |
|      | P <sub>s</sub>    | 0.76                | 0.70               | 0.52                | 0.44                | 0.38    | 0.26    | 0.29                           |
|      | Lw(A)             | <20                 | <20                | <20                 | <20                 | <20     | <20     | <20                            |
| 600  | V <sub>k</sub>    | 2.02                | 1.93               | 1.67                | 1.54                | 1.42    | 1.18    | 1.24                           |
|      | X <sub>0,25</sub> | 4.43                | 4.41               | 3.99                | 3.93                | 3.73    | 3.42    | 3.54                           |
|      | P <sub>s</sub>    | 1.72                | 1.57               | 1.18                | 1.00                | 0.85    | 0.59    | 0.65                           |
|      | Lw(A)             | 21                  | 21                 | <20                 | <20                 | <20     | <20     | <20                            |
| 800  | V <sub>k</sub>    | 2.69                | 2.57               | 2.22                | 2.05                | 1.90    | 1.57    | 1.65                           |
|      | X <sub>0,25</sub> | 5.89                | 5.88               | 5.31                | 5.23                | 4.99    | 4.55    | 4.71                           |
|      | P <sub>s</sub>    | 3.05                | 2.79               | 2.08                | 1.77                | 1.52    | 1.04    | 1.15                           |
|      | Lw(A)             | 27                  | 27                 | 24                  | 22                  | 21      | <20     | <20                            |
| 1000 | V <sub>k</sub>    | 3.36                | 3.22               | 2.78                | 2.56                | 2.37    | 1.96    | 2.07                           |
|      | X <sub>0,25</sub> | 7.36                | 7.36               | 6.65                | 6.53                | 6.23    | 5.68    | 5.91                           |
|      | P <sub>s</sub>    | 4.76                | 4.37               | 3.26                | 2.76                | 2.37    | 1.62    | 1.81                           |
|      | Lw(A)             | 33                  | 32                 | 29                  | 27                  | 26      | 23      | 23                             |
| 1200 | V <sub>k</sub>    | 4.03                | 3.86               | 3.34                | 3.07                | 2.85    | 2.35    | 2.48                           |
|      | X <sub>0,25</sub> | 8.83                | 8.83               | 7.99                | 7.83                | 7.49    | 6.80    | 7.08                           |
|      | P <sub>s</sub>    | 6.85                | 6.28               | 4.70                | 3.97                | 3.43    | 2.33    | 2.59                           |
|      | Lw(A)             | 38                  | 37                 | 34                  | 32                  | 31      | 27      | 28                             |
| 1600 | V <sub>k</sub>    | 5.38                | 5.15               | 4.45                | 4.10                | 3.80    | 3.14    | 3.31                           |
|      | X <sub>0,25</sub> | 11.79               | 11.78              | 10.65               | 10.46               | 9.98    | 9.09    | 9.45                           |
|      | P <sub>s</sub>    | 12.21               | 11.19              | 8.35                | 7.09                | 6.09    | 4.16    | 4.62                           |
|      | Lw(A)             | 46                  | 44                 | 42                  | 40                  | 39      | 34      | 35                             |
| 2000 | V <sub>k</sub>    | 6.72                | 6.43               | 5.56                | 5.12                | 4.74    | 3.92    | 4.14                           |
|      | X <sub>0,25</sub> | 14.73               | 14.70              | 13.30               | 13.06               | 12.45   | 11.35   | 11.82                          |
|      | P <sub>s</sub>    | 19.05               | 17.44              | 13.04               | 11.06               | 9.48    | 6.48    | 7.23                           |
|      | Lw(A)             | 53                  | 51                 | 48                  | 45                  | 45      | 41      | 42                             |
| 2400 | V <sub>k</sub>    |                     | 7.72               | 6.67                | 6.15                | 5.69    | 4.70    | 4.96                           |
|      | X <sub>0,25</sub> |                     | 17.65              | 15.96               | 15.68               | 14.95   | 13.61   | 14.16                          |
|      | P <sub>s</sub>    |                     | 25.14              | 18.76               | 15.95               | 13.65   | 9.32    | 10.38                          |
|      | Lw(A)             |                     | 58                 | 53                  | 51                  | 50      | 45      | 46                             |
| 2800 | V <sub>k</sub>    |                     |                    |                     | 7.17                | 6.64    | 5.49    | 5.79                           |
|      | X <sub>0,25</sub> |                     |                    |                     | 18.29               | 17.44   | 15.90   | 16.53                          |
|      | P <sub>s</sub>    |                     |                    |                     | 21.68               | 18.59   | 12.71   | 14.14                          |
|      | Lw(A)             |                     |                    |                     | 56                  | 55      | 50      | 51                             |



| AHVN | LxH               | 500x300<br>1000x150 | 800x200<br>400x400 | 1200x150<br>600x300 | 1000x200<br>500x400 | 700x300 | 500x500 | 1200x200<br>800x300<br>600x400 |
|------|-------------------|---------------------|--------------------|---------------------|---------------------|---------|---------|--------------------------------|
| Q    | A <sub>eff</sub>  | 0.0813              | 0.0869             | 0.9800              | 0.1092              | 0.1147  | 0.1370  | 0.1410                         |
| 3200 | V <sub>k</sub>    |                     |                    |                     |                     |         | 6.27    | 6.62                           |
|      | X <sub>0,25</sub> |                     |                    |                     |                     |         | 18.16   | 18.90                          |
|      | P <sub>s</sub>    |                     |                    |                     |                     |         | 16.58   | 18.48                          |
|      | Lw(A)             |                     |                    |                     |                     |         | 54      | 55                             |
| 3600 | V <sub>k</sub>    |                     |                    |                     |                     |         |         |                                |
|      | X <sub>0,25</sub> |                     |                    |                     |                     |         |         |                                |
|      | P <sub>s</sub>    |                     |                    |                     |                     |         |         |                                |
|      | Lw(A)             |                     |                    |                     |                     |         |         |                                |
| 4000 | V <sub>k</sub>    |                     |                    |                     |                     |         |         |                                |
|      | X <sub>0,25</sub> |                     |                    |                     |                     |         |         |                                |
|      | P <sub>s</sub>    |                     |                    |                     |                     |         |         |                                |
|      | Lw(A)             |                     |                    |                     |                     |         |         |                                |
| 4500 | V <sub>k</sub>    |                     |                    |                     |                     |         |         |                                |
|      | X <sub>0,25</sub> |                     |                    |                     |                     |         |         |                                |
|      | P <sub>s</sub>    |                     |                    |                     |                     |         |         |                                |
|      | Lw(A)             |                     |                    |                     |                     |         |         |                                |
| 5000 | V <sub>k</sub>    |                     |                    |                     |                     |         |         |                                |
|      | X <sub>0,25</sub> |                     |                    |                     |                     |         |         |                                |
|      | P <sub>s</sub>    |                     |                    |                     |                     |         |         |                                |
|      | Lw(A)             |                     |                    |                     |                     |         |         |                                |
| 5500 | V <sub>k</sub>    |                     |                    |                     |                     |         |         |                                |
|      | X <sub>0,25</sub> |                     |                    |                     |                     |         |         |                                |
|      | P <sub>s</sub>    |                     |                    |                     |                     |         |         |                                |
|      | Lw(A)             |                     |                    |                     |                     |         |         |                                |
| 6000 | V <sub>k</sub>    |                     |                    |                     |                     |         |         |                                |
|      | X <sub>0,25</sub> |                     |                    |                     |                     |         |         |                                |
|      | P <sub>s</sub>    |                     |                    |                     |                     |         |         |                                |
|      | Lw(A)             |                     |                    |                     |                     |         |         |                                |



| AHVN | LxH               | 700x400 | 1000x300<br>600x500 | 800x400 | 1200x300 | 800x500<br>1000x400 | 1200x400 | 1000x500 |
|------|-------------------|---------|---------------------|---------|----------|---------------------|----------|----------|
| Q    | A <sub>eff</sub>  | 0.1537  | 0.1649              | 0.1760  | 0.2030   | 0.2206              | 0.2758   | 0.2764   |
| 400  | V <sub>k</sub>    | 0.70    | 0.66                |         |          |                     |          |          |
|      | X <sub>0,25</sub> | 2.14    | 2.10                |         |          |                     |          |          |
|      | P <sub>s</sub>    | 0.21    | 0.18                |         |          |                     |          |          |
|      | Lw(A)             | <20     | <20                 |         |          |                     |          |          |
| 600  | V <sub>k</sub>    | 1.05    | 0.99                | 0.91    | 0.82     | 0.73                |          |          |
|      | X <sub>0,25</sub> | 3.22    | 3.15                | 2.97    | 2.86     | 2.66                |          |          |
|      | P <sub>s</sub>    | 0.46    | 0.41                | 0.35    | 0.28     | 0.22                |          |          |
|      | Lw(A)             | <20     | <20                 | <20     | <20      | <20                 |          |          |
| 800  | V <sub>k</sub>    | 1.40    | 1.32                | 1.22    | 1.09     | 0.97                | 0.81     | 0.77     |
|      | X <sub>0,25</sub> | 4.29    | 4.20                | 3.99    | 3.80     | 3.53                | 3.23     | 3.12     |
|      | P <sub>s</sub>    | 0.83    | 0.73                | 0.63    | 0.50     | 0.40                | 0.28     | 0.25     |
|      | Lw(A)             | <20     | <20                 | <20     | <20      | <20                 | <20      | <20      |
| 1000 | V <sub>k</sub>    | 1.75    | 1.65                | 1.52    | 1.37     | 1.21                | 1.01     | 0.96     |
|      | X <sub>0,25</sub> | 5.36    | 5.25                | 4.97    | 4.77     | 4.41                | 4.03     | 3.89     |
|      | P <sub>s</sub>    | 1.29    | 1.15                | 0.97    | 0.79     | 0.62                | 0.43     | 0.39     |
|      | Lw(A)             | 23      | <20                 | <20     | <20      | <20                 | <20      | <20      |
| 1200 | V <sub>k</sub>    | 2.10    | 1.98                | 1.83    | 1.64     | 1.46                | 1.21     | 1.15     |
|      | X <sub>0,25</sub> | 6.43    | 6.30                | 5.98    | 5.71     | 5.32                | 4.82     | 4.66     |
|      | P <sub>s</sub>    | 1.86    | 1.65                | 1.41    | 1.34     | 0.90                | 0.62     | 0.56     |
|      | Lw(A)             | 26      | 23                  | 21      | 20       | <20                 | <20      | <20      |
| 1600 | V <sub>k</sub>    | 2.80    | 2.63                | 2.44    | 2.19     | 1.94                | 1.61     | 1.54     |
|      | X <sub>0,25</sub> | 8.57    | 8.37                | 7.97    | 7.63     | 7.07                | 6.42     | 6.24     |
|      | P <sub>s</sub>    | 3.31    | 2.92                | 2.51    | 2.02     | 1.59                | 1.09     | 1.00     |
|      | Lw(A)             | 32      | 30                  | 28      | 27       | 24                  | 22       | 21       |
| 2000 | V <sub>k</sub>    | 3.50    | 3.29                | 3.05    | 2.73     | 2.43                | 2.01     | 1.92     |
|      | X <sub>0,25</sub> | 10.72   | 10.48               | 9.97    | 9.51     | 8.86                | 8.01     | 7.78     |
|      | P <sub>s</sub>    | 5.17    | 4.57                | 3.92    | 3.14     | 2.49                | 1.70     | 1.55     |
|      | Lw(A)             | 38      | 36                  | 34      | 33       | 30                  | 27       | 26       |
| 2400 | V <sub>k</sub>    | 4.20    | 3.95                | 3.66    | 3.28     | 2.91                | 2.42     | 2.30     |
|      | X <sub>0,25</sub> | 12.86   | 12.58               | 11.96   | 11.42    | 10.60               | 9.64     | 9.32     |
|      | P <sub>s</sub>    | 7.44    | 6.58                | 5.65    | 4.54     | 3.57                | 2.47     | 2.23     |
|      | Lw(A)             | 43      | 41                  | 39      | 38       | 35                  | 31       | 30       |
| 2800 | V <sub>k</sub>    | 4.89    | 4.61                | 4.27    | 3.83     | 3.40                | 2.82     | 2.69     |
|      | X <sub>0,25</sub> | 14.98   | 14.68               | 13.95   | 13.34    | 12.39               | 11.24    | 10.90    |
|      | P <sub>s</sub>    | 10.08   | 8.96                | 7.69    | 6.19     | 4.88                | 3.35     | 3.05     |
|      | Lw(A)             | 47      | 45                  | 43      | 42       | 39                  | 35       | 34       |





| AHVN | LxH               | 700x400 | 1000x300<br>600x500 | 800x400 | 1200x300 | 800x500<br>1000x400 | 1200x400 | 1000x500 |
|------|-------------------|---------|---------------------|---------|----------|---------------------|----------|----------|
| Q    | A <sub>eff</sub>  | 0.1537  | 0.1649              | 0.1760  | 0.2030   | 0.2206              | 0.2758   | 0.2764   |
| 3200 | V <sub>k</sub>    | 5.59    | 5.27                | 4.88    | 4.37     | 3.88                | 3.22     | 3.07     |
|      | X <sub>0,25</sub> | 17.12   | 16.78               | 15.95   | 15.22    | 14.14               | 12.83    | 12.44    |
|      | P <sub>s</sub>    | 13.18   | 11.71               | 10.04   | 8.05     | 6.35                | 4.37     | 3.97     |
|      | Lw(A)             | 51      | 49                  | 47      | 46       | 43                  | 39       | 38       |
| 3600 | V <sub>k</sub>    | 6.29    | 5.93                | 5.49    | 4.92     | 4.37                | 3.63     | 3.46     |
|      | X <sub>0,25</sub> | 19.26   | 18.88               | 17.94   | 17.13    | 15.93               | 14.47    | 14.02    |
|      | P <sub>s</sub>    | 16.69   | 14.83               | 12.71   | 10.21    | 8.05                | 5.56     | 5.05     |
|      | Lw(A)             | 55      | 53                  | 50      | 49       | 46                  | 42       | 41       |
| 4000 | V <sub>k</sub>    |         | 6.58                | 6.10    | 5.47     | 4.85                | 4.03     | 3.84     |
|      | X <sub>0,25</sub> |         | 20.95               | 19.93   | 19.05    | 17.67               | 16.06    | 15.56    |
|      | P <sub>s</sub>    |         | 18.26               | 15.69   | 12.62    | 9.92                | 6.85     | 6.22     |
|      | Lw(A)             |         | 57                  | 54      | 52       | 49                  | 45       | 44       |
| 4500 | V <sub>k</sub>    |         |                     |         | 6.15     | 5.46                | 4.53     | 4.32     |
|      | X <sub>0,25</sub> |         |                     |         | 21.41    | 19.90               | 18.05    | 17.51    |
|      | P <sub>s</sub>    |         |                     |         | 15.95    | 12.57               | 8.65     | 7.87     |
|      | Lw(A)             |         |                     |         | 57       | 52                  | 48       | 47       |
| 5000 | V <sub>k</sub>    |         |                     |         |          | 6.06                | 5.04     | 4.80     |
|      | X <sub>0,25</sub> |         |                     |         |          | 22.08               | 20.09    | 19.45    |
|      | P <sub>s</sub>    |         |                     |         |          | 15.49               | 10.71    | 9.72     |
|      | Lw(A)             |         |                     |         |          | 56                  | 51       | 50       |
| 5500 | V <sub>k</sub>    |         |                     |         |          |                     | 5.54     | 5.28     |
|      | X <sub>0,25</sub> |         |                     |         |          |                     | 22.08    | 21.40    |
|      | P <sub>s</sub>    |         |                     |         |          |                     | 12.94    | 11.76    |
|      | Lw(A)             |         |                     |         |          |                     | 55       | 53       |
| 6000 | V <sub>k</sub>    |         |                     |         |          |                     |          | 5.76     |
|      | X <sub>0,25</sub> |         |                     |         |          |                     |          | 23.35    |
|      | P <sub>s</sub>    |         |                     |         |          |                     |          | 13.99    |
|      | Lw(A)             |         |                     |         |          |                     |          | 56       |

