





MÉRETEK




	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	G [mm]	H [mm]	I [mm]	J [mm]	Tömeg, [kg]
RFA EC 30/15 R	338	188	340	219	239	320	300	170	150	9	6.20
RFA EC 40/20 R	438	238	420	269	302	420	400	220	200	9	9.90
RFA EC 50/25 R	538	288	500	319	374	520	500	270	248	9	13.80
RFA EC 60/30 R	638	338	610	369	485	620	600	320	300	9	22.00
RFA EC 60/30 R2	638	338	610	371	509	620	600	320	300	9	24.50
RFA EC 60/35 R	638	338	610	419	485	620	600	370	350	9	22.70
RFA EC 60/35 R2	638	338	610	421	485	620	600	370	350	9	25.10
RFA EC 70/40 R	738	438	710	471	550	720	700	420	400	9	33.00
RFA EC 80/50 R	838	538	830	594	644	820	800	520	500	9	58.05
RFA EC 100/50 R	1038	538	830	605	644	1020	1000	520	500	9	65.50



BEÉPÍTÉSI JAVASLAT


- Ⓐ **RCSN** - flexibilis rezgéscsillapító
VK vagy **OKM** - túlnyomás-kibocsátó zsalu

Ⓑ




ELEKTROMOS BEKÖTÉS


RFA EC 30/15 R, 40/20 R,
50/25 R, 60/30 R, 60/35 R




RFA EC 60/30 R2, 60/35 R2,
70/40 R



RFA EC 80/50 R




RFA EC 100/50 R



ALKALMAZÁSI PÉLDA

max. fokozat (RPM)



Potenciométer

